

# INDEX

- A**
- agrchemical mixing centers (702,703), 207
  - air quality effects
    - agrchemical mixing centers (702,703), 207
    - alley cropping (311), 207
    - anionic polyacrylamide (PAM) erosion control (450), 44, 207–208
    - bedding (310), 208
    - conservation buffers, 48
    - conservation covers (327), 64
    - conservation crop rotation (328), 31
    - constructed wetlands (656), 208
    - contour buffer strips (332), 208
    - contour farming (330), 208
    - contour orchard (331), 208
    - cover crops (340), 209
    - cropland conversion, 64
    - cross-wind ridges (589A), 209–210
    - cross-wind stripcropping (589B), 209–210
    - cross-wind trap strips (589C), 209–210
    - deep tillage (324), 210
    - drainage water management (554), 210
    - filter strips (393), 211
    - grassed waterways (412), 211
    - hedgerow planting (442), 209–210
    - herbaceous wind barriers (603), 209–210
    - irrigation land leveling (464), 213
    - irrigation tailwater recovery (447), 213–214
    - irrigation water management (449), 214
    - mulching (484), 214
    - nutrient management (590), 215
    - ponds (378), 215
    - precision land forming (462), 213
    - residue management, 29, 215–218
    - riparian forest buffers (391), 218, 277
    - row arrangements (557), 219
    - saline and sodic soil management (610), 48
    - seasonal residue management (344), 215–218
    - sediment basins (350), 220
    - stripcropping (585), 209, 220
    - subsurface drainage (606), 220
    - surface roughening (609), 221
    - terraces (600), 221
    - tree/shrub establishment (612), 273–275
    - water management practices, 122
    - wetland creation (658), 208
    - wetland enhancement (659), 208
    - wetland restoration (657), 208
    - windbreak/shelterbelt establishment (380), 209–210
    - windbreak/shelterbelt renovation (650), 209–210
  - alley cropping (311)
    - air quality effects, 57
    - definition, 49
    - environmental outcomes, 57–58
    - for pesticide mitigation, 207
    - scientific documentation, 58–59
    - soil quality effects, 55–57
    - water conservation effects, 57
    - water quality effects, 49–55
  - Amherst Matrix, 238–242
  - anionic polyacrylamide (PAM) erosion control (450)
    - air quality effects, 44
    - definition, 136
    - environmental outcomes, 44
    - in irrigated agriculture, 142
    - for pesticide mitigation, 207–208
    - scientific documentation, 44
    - soil management practice, 42–44
    - soil quality effects, 42–44
    - water conservation effects, 44
    - water quality effects, 42–44
  - application decisions
    - categories of, 153
    - fertilizers, 173–175
    - manure amendments, 175–179
    - sound policy for, 179–180
    - tradeoffs, 180–181
  - atmospheric transport, 222–223
- B**
- Bear Creek watershed case study, 300–302
  - bedding (310) for pesticide mitigation, 208
  - biological controls, 205, 253
  - brush management (314) for pesticide mitigation, 207
  - buffer areas, environmental outcomes of, 170–171
  - buffer strips. *see* contour buffer strips (332)
- C**
- carbon
    - residue management effect, 15–20
    - sequestration, 142
  - case studies, landscape management, 293–305
  - channel bank vegetation (322), 289–291
  - channel stabilization (584), 288–290
  - chemigation, 138
  - conservation buffers
    - air quality effects, 57
    - environmental outcomes, 57–58
    - for pesticide risk mitigation, 250–251
    - scientific documentation, 58–59
    - sediment transport, 49
    - soil management practice, 48–59
    - soil quality effects, 55–57
    - water conservation effects, 57
    - water quality effects, 49–55
  - conservation cover (327)
    - air quality effects, 67
    - environmental outcomes, 67–68
    - for pesticide mitigation, 206
    - scientific documentation, 68
    - soil management practice, 64–68
    - soil quality effects, 66–67
    - water conservation effects, 67
    - water quality effects, 64–66
  - conservation crop rotation (328)

- air quality effects, 35
  - environmental outcomes, 35
  - for pesticide mitigation, 207
  - scientific documentation, 35
  - soil management practice, 31–35
  - soil quality effects, 31–34
  - water conservation effects, 34–35
  - water quality effects, 31–34
  - conservation practices for pesticide mitigation, 206–221
  - Conservation Reserve Program (CRP), 64–66
  - conservation tillage. *see* residue management
  - constructed wetlands (656)
    - landscape management practice, 285–288
    - for pesticide mitigation, 208
  - contour buffer strips (332)
    - air quality effects, 57
    - definition, 48
    - environmental outcomes, 57–58
    - for pesticide mitigation, 208–209
    - scientific documentation, 58–59
    - soil quality effects, 55–57
    - water conservation effects, 57
    - water quality effects, 49–55
  - contour farming (330)
    - for pesticide mitigation, 208–209
    - soil management practice, 63–64
  - contour orchard (331)
    - for pesticide mitigation, 208–209
    - soil management practice, 64
  - contour stripcropping. *see* stripcropping (585)
  - corn
    - IPM for, 257
    - low phytate, 161
  - corridor connectivity, 276–277
  - cotton, IPM for, 256–257
  - cover crops (340)
    - environmental outcomes, 40–41
    - for pesticide mitigation, 209
    - scientific documentation, 41–42
    - soil management practice, 35–42
    - soil quality effect, 37–39
    - water conservation effects, 39–40
    - water quality effects, 37
  - crop rotation
    - see also* conservation crop rotation (328)
    - environmental outcomes, 166–167
    - as part of IPM, 253
  - cropland conversion
    - air quality effects, 67
    - environmental outcomes, 67–68
    - scientific documentation, 68
    - soil management practice, 64–68
    - soil quality effects, 66–67
    - water conservation effects, 67
    - water quality effects, 64–66
  - crops
    - residue management effect on yields, 21–22
    - resistant varieties, 253
    - row crops and IPM, 254–260
      - selection for manure application, 178
    - cross-wind ridges (589A) for pesticide mitigation, 209–210
    - cross-wind stripcropping (589B) for pesticide mitigation, 209–210
    - cross-wind trap strips (589C)
      - for pesticide mitigation, 209–210
      - wind erosion control practice, 62–63
    - CRP (Conservation Reserve Program), 64–66
    - cultural controls
      - as part of IPM, 253–254
      - pest management practice, 205
- ## D
- dams (402), 291–292
  - deep tillage (324)
    - definition, 4
    - for pesticide mitigation, 210
    - residue management practice, 26–31
  - dikes (356) for pesticide mitigation, 206
  - ditches. *see* hillside ditches (423)
  - diversions (362)
    - environmental effects, 92
    - for pesticide mitigation, 206
    - water management practice, 100–101
    - water quality effects, 101
  - drainage water management (554)
    - for pesticide mitigation, 210–211
    - water conservation effects, 113–116
    - water management practice, 112–116
    - water quality effects, 113–116
  - drains. *see* subsurface drains (606); surface drains (607, 608)
  - drift
    - pesticide, 203–204
    - spray, 198
- ## E
- early succession habitat management (647), 275
  - economics
    - driving factor in environmental outcome, 30
    - of IPM, 261–262
    - of pesticide use, 254
  - environmental outcomes
    - anionic polyacrylamide (PAM) erosion control (450), 43
    - conservation buffers, 57–58
    - conservation covers (327), 67–68
    - conservation crop rotation (328), 35
    - cover crops (340), 40, 40–41
    - cropland conversion, 67–68
    - IPM, 261–262
    - irrigation water management (449), 139–142
    - landscape management practices, 305–308
    - nutrient management (590), 151–154, 166–172
    - of pesticide use, 197–198
    - residue management practices, 29–31
    - saline and sodic soil management (610), 48
  - enzymes in feed, 161
  - erosion control, 42–44, 59–63
    - see also* anionic polyacrylamide (PAM) erosion control (450)

ethanol industry, 161–162  
eutrophication, 153–154

## F

farm-gate decisions  
  livestock selection, 162  
  nutrient balance, 152, 155–156  
  nutrient management (590), 159–162  
farming, contour (330)  
  for pesticide mitigation, 208–209  
  soil management practice, 63–64  
feed management (592)  
  enzymes, 161  
  high-P feed from ethanol industry, 161–162  
  low phytate corn, 161  
  nutritional requirements, 160  
fertilizers, commercial, 173–175  
field borders (386)  
  air quality effects, 57  
  definition, 49  
  environmental outcomes, 57–58  
  for pesticide mitigation, 206  
  scientific documentation, 58–59  
  soil quality effects, 55–57  
  water conservation effects, 57  
  water quality effects, 49–55  
filter strips (393)  
  air quality effects, 57  
  definition, 49  
  environmental outcomes, 57–58  
  for pesticide mitigation, 211  
  scientific documentation, 58–59  
  soil quality effects, 55–57  
  water conservation effects, 57, 104–106  
  water management practice, 103–106  
  water quality effects, 49–55, 104–106  
floodwater diversion (400) for pesticide mitigation, 206  
forage harvest management (666) for pesticide mitigation, 206

## G

genetic engineering as part of IPM, 254–255  
Goodwin Creek watershed case study, 293–297  
grade stabilization structures (410)  
  for pesticide mitigation, 206  
  water conservation effects, 107  
  water management practice, 106–107  
  water quality effects, 107  
grassed waterways (412)  
  for pesticide mitigation, 211–213  
  water conservation effects, 102–103  
  water management practice, 101–103  
  water quality effects, 102–103  
grazing land mechanical treatment (548) for pesticide mitigation, 206  
grazing, prescribed (528A) for pesticide mitigation, 207  
ground water depth, environmental concerns of, 168–169

## H

habitat management

  early succession (647), 275  
  restoration/management of declining (643), 275  
  stream improvement/management (395), 275  
  upland wildlife (645), 275  
  wetland wildlife (644), 275  
hay and pasture planting (512) for pesticide mitigation, 207  
hedgerow planting (442) for pesticide mitigation, 209–210  
herbaceous wind barriers (603)  
  for pesticide mitigation, 209–210  
  wind erosion control practice, 59–60  
hillside ditches (423)  
  for pesticide mitigation, 206  
  water management practice, 100  
  water quality effects, 101  
hydrological conservation, 133–134

## I

impoundments, 222  
in-stream practices, 288–293  
infiltration, increasing, 119–122  
integrated pest management (IPM)  
  development of a paradigm, 245–246  
  economics vs environment, 261–262  
  environmental impacts, 260  
  implementation, 252–253  
  management thresholds, 202  
  national program, 246–247  
  research priorities, 262  
  for row crops, 253–259  
  trends in, 260–261  
inter-row damming (640)  
  water conservation effects, 119–122  
  water management practice, 119–122  
  water quality effects, 119–122  
interactions and tradeoffs  
  landscape management practices, 308–309  
  nutrient management (590), 180–181  
  pesticide management practices, 221–222  
  residue management practices, 68  
  water management practices, 124  
IPM. *see* integrated pest management (IPM)  
irrigation efficiency, 133  
irrigation land leveling (464)  
  for pesticide mitigation, 213  
  water management practice, 135–137  
irrigation pipelines (430), 135, 136  
irrigation pumps (533), 134–135  
irrigation regulating reservoirs (552), 134  
irrigation storage reservoirs (436), 134–135  
irrigation tailwater recovery (447)  
  for pesticide mitigation, 213–214  
  water management practice, 135–137  
irrigation water delivery systems, 134  
  irrigation land leveling (464), 136–137  
  irrigation pipelines (430), 135, 136  
  irrigation regulating reservoirs (552), 134  
  irrigation storage reservoirs (436), 134–135  
  open-channel conveyances (582), 135

- pond linings (521), 134
- pressurized, 137–138
- pumping plants (533), 134–135
- surface and subsurface (443), 135–137
- tailwater recovery (447), 135–137, 213
- irrigation water management (449)
  - categories of, 133–134
  - irrigation-induced soil erosion, 141–142
  - leaching losses, 140–141
  - for nutrient management, 153
  - overview, 138–139
  - for pesticide mitigation, 206, 214
  - saline soil management (610), 139–140
  - soil quality effects, 142

## L

- land forming, precision. *see* precision land forming (462)
- land leveling. *see* irrigation land leveling (464)
- land smoothing (466)
  - for pesticide mitigation, 206
  - water conservation effects, 118
  - water management practice, 118–119
  - water quality effects, 119
- landscape management practices
  - case studies, 293–305
  - environmental outcomes, 305–308
  - in-stream, 288–293
  - overview, 272–273
  - research priorities, 308–309
  - riparian, 277–283
  - terrestrial ecosystem restoration, 273–277
  - tradeoffs, 308–309
  - wetlands, 283–288
- leaching
  - fraction, 139
  - irrigation water management (449), 138–139
  - pesticide pollution pathway, 198
  - potential, 168–169
- lined waterways (468)
  - water conservation effects, 102–103
  - water management practice, 101–103
  - water quality effects, 102–103
- Little River watershed case study, 302–303
- livestock selection, 162

## M

- manure amendments, 175–179
- micro-irrigation systems (441)
  - definition, 138
  - for pesticide mitigation, 206
  - water management practice, 138
- Mitigation Effectiveness Guide, 200–201
- modeling for pesticide management, 223
- mole drains (482)
  - for pesticide mitigation, 206
  - water conservation effects, 108–112
  - water management practice, 108–112
  - water quality effects, 108–112

- mulch-till (329B), 4
- mulching (484)
  - definition, 5–6
  - for pesticide mitigation, 214–215
  - soil management practice, 24–26

## N

- National Pesticide Risk Analysis (NAPRA), 200
- nitrogen
  - see also* nutrient management (590)
  - budget, 157
  - fate of, 157–159
  - fertilizers, 173, 174, 175
  - leaching, 140–141
  - nitrate leaching, 140–141
  - soil testing, 163
- no-till (329A), 4
- nonpoint source pollution, 153
- nutrient balance
  - farm-gate, 152, 155–156
  - regional, 156–157
  - removal versus inputs, 164–166
  - state wide, 156
- nutrient management (590)
  - see also* application decisions
  - categories of, 152–153
  - environmental outcomes, 151–154, 166–172
  - evolution of, 154–157
  - farm-gate decisions, 159–162
  - feed management (592), 160–162
  - nutrients as surrogates for pesticides, 223
  - for pesticide mitigation, 215
  - planning process, 181–185
  - principles of, 151
  - research priorities, 184–185
  - site-specific, 172–173
  - soil/plant assessment and management, 163–164
  - sound policy for, 179–180
  - tradeoffs, 180–181

## O

- open-channel conveyances (582), 135
- orchard, contour (331)
  - for pesticide mitigation, 208–209
  - soil management practice, 63–64
- overland flow reduction, 92–117

## P

- PAM. *see* anionic polyacrylamide (PAM) erosion control (450)
- pasture and hay planting (512) for pesticide mitigation, 207
- permanent vegetation, 168
- pest management (595)
  - interactions and tradeoffs, 221–222
  - overview, 197
  - research priorities, 222–223
  - tools for, 200
- pest populations, monitoring, 252–253
- pesticide mitigation

- by conservation practice, 206–221
  - effectiveness guide, 200–201, 238–242
  - management techniques, 201–206
  - regulatory context, 199–200
  - risk reduction practices, 248–252
  - pesticides
    - alternative, 205
    - application rates, 202, 206, 256–257
    - drift, 198, 204
    - economic thresholds for use, 254
    - environmental concerns, 197–198
    - formulation and adjuvants, 201–202, 206, 223
    - label requirements, 202, 206
    - nutrients as surrogates, 223
    - partial treatment, 202
    - pollution pathways, 198–199
    - reductions in use, 251
    - setbacks, 202–203, 205, 206
    - soil incorporation, 203–204, 206
    - timing of application, 201, 206
  - phosphorus
    - see also nutrient management (590)
    - budget, 157
    - fate of, 157–159
    - fertilizers, 173, 175
    - high-P feed from ethanol industry, 161–162
    - soil testing, 163–164
  - pipelines, irrigation (430), 135, 136
  - plant/soil testing, 163–164
  - pollutants, 23–24
  - pond linings (521), 134
  - ponds (378)
    - landscape management practice, 290–291
    - for pesticide mitigation, 215
  - precision land forming (462)
    - for pesticide mitigation, 206, 213
    - water conservation effects, 119
    - water management practice, 118–119
    - water quality effects, 119
  - prescribed burning (338) for pesticide mitigation, 207
  - prescribed grazing (528A) for pesticide mitigation, 207
  - pumping plants (533), 134–135
- R**
- rainfed water management practices. see water management practices
  - range planting (550) for pesticide mitigation, 207
  - recreational area improvement (562) for pesticide mitigation, 206
  - research priorities
    - IPM, 262
    - irrigation water management (449), 143
    - landscape management, 308–309
    - nutrient management (590), 184–185
    - pesticide management, 222–223
    - residue management, 69
    - water management, 125–126
  - reservoirs
    - irrigation regulating (552), 134
    - irrigation storage (436), 134–135
  - residue management
    - air quality effects, 29
    - carbon, 15–20
    - carbon:nitrogen stratification ratio, 20–21
    - crop yields, 21–22
    - definitions, 4–6
    - environmental outcomes, 29–31
    - global context, 7
    - history and background, 6–8
    - interactions and tradeoffs, 68
    - in irrigated agriculture, 139
    - pest management strategies, 24
    - for pesticide mitigation, 215–218
    - for pesticide risk mitigation, 249–250
    - research, 7–8, 69
    - scientific documentation, 31
    - soil erosion reduction, 10–15
    - soil organic matter, 15–20
    - soil quality effects, 8–10
    - water conservation effects, 28–29
    - water quality effects, 22–24
  - restoration/management of declining habitats (643), 275
  - ridge-till (329C), 4
  - riparian areas, environmental effects on, 170–171
  - riparian forest buffers (391)
    - air quality effects, 57
    - in combo with tree/shrub establishment, 274
    - definition, 48
    - environmental outcomes, 57–58
    - landscape management practice, 277–282
    - for pesticide mitigation, 218–219
    - scientific documentation, 58–59
    - soil quality effects, 55–57
    - water conservation effects, 57
    - water quality effects, 49–55
  - riparian herbaceous cover (390), 282–283
  - riparian practices, 277–283
  - rock barriers (555), 92–93
  - row arrangements (557)
    - for pesticide mitigation, 219–220
    - soil management practice, 63–64
    - water conservation effects, 119
    - water management practice, 119
    - water quality effects, 119
  - row crops, IPM for, 256–259
  - runoff
    - pesticide pollution pathway, 198
    - potential, 166
- S**
- saline and sodic soil management (610)
    - air quality effects, 48
    - environmental outcomes, 48
    - irrigation water management (449), 139–140
    - reclamation, 45–47
    - scientific documentation, 48
    - soil management practice, 44–48
    - soil quality effects, 45–47

- water conservation effects, 48
- water quality effects, 47–48
- scientific documentation
  - anionic polyacrylamide (PAM) erosion control (450), 44
  - conservation buffers, 58–59
  - conservation covers (327), 68
  - conservation crop rotation (328), 35
  - cover crops (340), 41–42
  - cropland conversion, 68
  - saline and sodic soil management (610), 48
  - value of residue management, 31
- seasonal residue management (344)
  - definition, 5
  - for pesticide mitigation, 215–218
- sediment basins (350)
  - landscape management practice, 292–293
  - for pesticide mitigation, 220
- sediment control basins. *see* water and sediment control basins (638)
- sedimentation, residue management effect on, 23
- setbacks for pesticide management, 202–203, 205, 206
- shallow water management for wildlife (646), 275
- shelterbelt/windbreak establishment (380)
  - landscape management practice, 275–276
  - for pesticide mitigation, 209–210
  - wind erosion control practice, 60–62
- shelterbelt/windbreak renovation (380) for pesticide mitigation, 209–210
- shoreline/streambank protection (580), 288–290
- shrub/tree establishment (612)
  - landscape management practice, 273–275
  - for pesticide mitigation, 207
- sodic soil management. *see* saline and sodic soil management (610)
- soil amendments, environmental effects of, 169–170
- soil carryover as pesticide pollution pathway, 199
- soil compaction, 26–31
- soil erosion
  - irrigation-induced, 141–142
  - residue management effect, 10–15
- soil management practices
  - anionic polyacrylamide erosion control (PAM), 42–44
  - categories of, 5
  - conservation buffers, 48–59
  - conservation covers (327), 64–68
  - conservation crop rotation (328), 31–35
  - contour farming (330), 63–64
  - contour orchard (331), 63–64
  - cover crops (340), 35–42
  - cropland conversion, 64–68
  - deep tillage (324), 26–31
  - mulching (484), 24–26
  - for nutrient management, 152
  - principles of, 3–4
  - residue management/conservation tillage, 4–24
  - row arrangements (557), 63–64
  - saline and sodic soil management (610), 44–48
  - soil compaction, 26–31
  - traffic control, 26–31
  - wind erosion control, 59–63
  - soil organic matter, residue management effect on, 8, 15–20
  - soil/plant assessment/management
    - environmental outcomes, 166–172
    - nutrient removal versus inputs, 164–166
    - soil/plant testing, 163–164
  - soil/plant testing, 163–164
  - soil quality effects
    - agrichemical mixing centers (702,703), 207
    - alley cropping (311), 207
    - anionic polyacrylamide (PAM) erosion control (450), 42–44, 207
    - bedding (310), 208
    - conservation buffers, 55–57
    - conservation covers (327), 66–67
    - conservation crop rotation (328), 31–34
    - constructed wetlands (656), 208
    - contour buffer strips (332), 208
    - contour farming (330), 208
    - contour orchard (331), 208
    - cover crops (340), 37–39, 209
    - cropland conversion, 66–67
    - cross-wind ridges (589A), 209–210
    - cross-wind stripcropping (589B), 209–210
    - cross-wind trap strips (589C), 209–210
    - deep tillage (324), 210
    - drainage water management (554), 210–211
    - filter strips (393), 211
    - grassed waterways (412), 211
    - hedgerow planting (442), 209–210
    - herbaceous wind barriers (603), 209–210
    - irrigation land leveling (464), 213
    - irrigation tailwater recovery (447), 213–214
    - irrigation water management (449), 142, 214
    - mulching (484), 214
    - nutrient management (590), 215
    - ponds (378), 215
    - precision land forming (462), 213
    - residue management, 8–10, 215–218
    - riparian forest buffers (391), 219, 281
    - saline and sodic soil management (610), 45–47
    - seasonal residue management (344), 216–218
    - sediment basins (350), 220
    - stripcropping (585), 208, 220
    - subsurface drainage (606), 220
    - surface drains (607, 608), 221
    - surface roughening (609), 221
    - terraces (600), 221
    - tree/shrub establishment (612), 274
    - water management practices, 122–123
    - wetland creation (658), 208
    - wetland enhancement (659), 208
    - wetland restoration (657), 208
    - windbreak/shelterbelt establishment (380), 209–210
    - windbreak/shelterbelt renovation (650), 209–210
  - soybeans, IPM for, 258
  - specific ion effect, 139–140
  - spray drift, 198
  - sprinkler irrigation systems (442)
    - for pesticide mitigation, 206

- water management practice, 137–138
- stratification
  - environmental outcomes, 170
  - residue management effect, 15–20
  - of soil properties, 8
- stream habitat improvement/management (395), 275
- streambank/shoreline protection (580), 288–290
- stripcropping (585)
  - air quality effects, 57
  - cross-wind (589B), 209–210
  - definition, 49
  - environmental outcomes, 57–58
  - for pesticide mitigation, 208–209, 220
  - scientific documentation, 58–59
  - soil quality effects, 55–57
  - water conservation effects, 57
  - water quality effects, 49–55
- subsurface drains (606)
  - for pesticide mitigation, 220–221
  - water conservation effects, 108–112
  - water management practice, 107–112
  - water quality effects, 108–112
- surface drains (607, 608)
  - field ditches (607), 117–118, 221
  - mains/laterals (608), 117–118, 221
  - water conservation effects, 118
  - water quality effects, 118
- surface roughening (609)
  - for pesticide mitigation, 221
  - wind erosion control practice, 62–63
- surface/subsurface irrigation systems (443)
  - for pesticide mitigation, 206
  - water management practice, 135–137

## T

- tailwater recovery, irrigation (447)
  - for pesticide mitigation, 213–214
  - water management practice, 135–137
- terraces (600)
  - definition, 92–93
  - for pesticide mitigation, 221
  - water conservation effects, 93–99
  - water quality effects, 93–99
- terrestrial ecosystem restoration practices
  - corridor connectivity, 276–277
  - tree/shrub establishment (612), 274–276
  - wildlife practices, 276
  - windbreak/shelterbelt establishment (380), 276–277
- tile line drainage innovations
  - water conservation effects, 117
  - water management practice, 116–117
  - water quality effects, 117
- tillage
  - crop/pesticide combos, 223
  - environmental outcomes, 167–168
  - orientation, 62–63
- Town Brook watershed case study, 298–301
- trace elements, 140

- tradeoffs and interactions
  - landscape management practices, 309–310
  - nutrient management (590), 180–181
  - pesticide management, 221–222
  - residue management, 68
  - water management practices, 124
- traffic control, 26–31
- tree/shrub establishment (612)
  - landscape management practice, 273–275
  - for pesticide mitigation, 207

## U

- underground outlets (620), 107
- universal soil loss equation (USLE)
  - C factor and residue management, 9–10
- upland wildlife habitat management (645), 275
- use exclusion, 290
- USLE (universal soil loss equation)
  - C factor and residue management, 9–10

## V

- vegetation, permanent, 168
- vegetative barriers (601)
  - air quality effects, 57
  - definition, 49
  - environmental outcomes, 57–58
  - scientific documentation, 58–59
  - soil quality effects, 55–57
  - water conservation effects, 57
  - water quality effects, 49–55
- vertical drains (630)
  - water conservation effects, 107
  - water management practice, 107
  - water quality effects, 107
- volatilization
  - pesticide pollution pathway, 198–199
  - research priority, 222–223

## W

- waste storage facilities (313) for pesticide mitigation, 206
- waste treatment lagoons (359) for pesticide mitigation, 206
- waste utilization (633) for pesticide mitigation, 206
- water and sediment control basins (638)
  - definition, 92–93
  - for pesticide mitigation, 206
  - water conservation effects, 99–100
  - water quality effects, 99–100
- water application efficiency, 133
- water conservation, definition of, 133
- water conservation effects
  - anionic polyacrylamide (PAM) erosion control (450), 44
  - conservation buffers, 57
  - conservation covers (327), 67
  - conservation crop rotation (328), 34–35
  - cover crops (340), 39–40
  - cropland conversion, 67
  - drainage water management (554), 113–116
  - filter strips (393), 104–106

- grade stabilization structures (410), 107
- grassed waterways (412), 102–103
- inter-row damming (640), 119–121
- land smoothing (466), 119
- lined waterways (468), 102–103
- mole drains (482), 108–112
- precision land forming (462), 119
- residue management, 28–29
- riparian forest buffers (391), 280–281
- row arrangements (557), 119
- saline and sodic soil management (610), 48
- subsurface drainage (606), 108–112
- surface drainage (607, 608), 118
- terraces (600), 93–99
- tile line drainage innovations, 117
- tree/shrub establishment (612), 273–274
- underground outlets (620), 107
- vertical drains (630), 107
- water and sediment control basins (638), 99–100
- water control structures (587), 116
- waterspreading (640), 119–121
- water control structures (587)
  - for pesticide mitigation, 206
  - water management practice, 116
- water management practices
  - see also irrigation water management (449)
  - air quality effects, 122
  - categories of, 91
  - diversions (362), 100–101
  - drainage water management (554), 112–116
  - filter strips (393), 103–106
  - grade stabilization structures (410), 106–107
  - grassed waterways (412), 101–103
  - hillside ditches (423), 101
  - increasing water storage and infiltration, 119–121
  - inter-row damming (640), 119–121
  - interactions and tradeoffs, 124
  - key factors of influence, 123–124
  - land smoothing (466), 118–119
  - lined waterways (468), 101–103
  - mole drains (482), 108–112
  - overland flow reduction, 92–121
  - precision land forming (462), 118–119
  - removal from soil, 107–117
  - removal from soil surface, 117–122
  - research priorities, 125–126
  - row arrangements (557), 119
  - soil quality effects, 122
  - subsurface drainage (606), 107–112
  - surface drainage, field ditches (607), 117–118
  - surface drainage, mains/laterals (608), 117–118
  - tile line drainage innovations, 116–117
  - underground outlets (620), 107
  - vertical drains (630), 107
  - waterspreading (640), 119–121
- water quality effects
  - agrichemical mixing centers (702,703), 207
  - alley cropping (311), 207
  - anionic polyacrylamide (PAM) erosion control (450), 42–44, 207
  - bedding (310), 208
  - conservation buffers, 49–55
  - conservation crop rotation (328), 31–34
  - constructed wetlands (656), 208
  - contour buffer strips (332), 208
  - contour farming (330), 208
  - contour orchard (331), 208
  - cover crops (340), 37, 209
  - cropland conversion, 64–66
  - cross-wind ridges (589A), 209–210
  - cross-wind stripcropping (589B), 209–210
  - cross-wind trap strips (589C), 209–210
  - deep tillage (324), 210
  - diversions (362), 100
  - drainage water management (554), 113–116, 210–211
  - erosion, 23–24
  - filter strips (393), 103–106, 211
  - grade stabilization structures (410), 106
  - grassed waterways (412), 102–103, 211–213
  - hedgerow planting (442), 209–210
  - herbaceous wind barriers (603), 209–210
  - hillside ditches (423), 100
  - inter-row damming (640), 119–121
  - irrigation land leveling (464), 213
  - irrigation tailwater recovery (447), 213
  - irrigation water management (449), 214
  - land smoothing (466), 118
  - lined waterways (468), 101–103
  - mole drains (482), 107–112
  - mulching (484), 214
  - nutrient management (590), 215
  - pollutants, 23–24
  - ponds (378), 215
  - precision land forming (462), 118, 213
  - residue management, 22–24, 216–218
  - riparian forest buffers (391), 218–219, 278–280
  - row arrangements (557), 119, 220
  - saline and sodic soil management (610), 47–48
  - seasonal residue management (344), 218
  - sediment basins (350), 220
  - sedimentation, 23
  - stripcropping (585), 209, 220
  - subsurface drainage (606), 108–112, 220
  - surface drainage (607, 608), 221
  - surface roughening (609), 221
  - terraces (600), 93–99, 221
  - tile line drainage innovations, 117
  - tree/shrub establishment (612), 273
  - underground outlets (620), 107
  - vertical drains (630), 107
  - water and sediment control basins (638), 99–100
  - water control structures (587), 116
  - waterspreading (640), 119–121
  - wetland creation (658), 208
  - wetland enhancement (659), 208
  - wetland restoration (657), 208
  - windbreak/shelterbelt establishment (380), 209–210



- windbreak/shelterbelt renovation (650), 209–210
- water storage, 119–121
- waterspreading (640)
  - for pesticide mitigation, 206
  - water management practice, 119–121
  - water quality effects, 119–121
- well decommissioning (351) for pesticide mitigation, 206
- wetland creation (658)
  - landscape management practice, 283–288
  - for pesticide mitigation, 208
- wetland enhancement (659)
  - landscape management practice, 283–288
  - for pesticide mitigation, 208
- wetland practices, 283–288
- wetland restoration (657)
  - landscape management practice, 283–288
  - for pesticide mitigation, 208
- wetland wildlife habitat management (644), 275
- wetlands, constructed (656)
  - landscape management practice, 286–288
  - for pesticide mitigation, 208
- wheat, IPM for, 258–259
- wildlife
  - shallow water management for (646), 275
  - terrestrial land management practices, 275
  - upland habitat management (645), 275
  - wetland habitat management (644), 275
- Willamette River Basin case study, 303–305
- Win-PST (Windows Pesticide Screening tool), 200
- wind erosion control practices
  - cross-wind ridges (589A), 62–63
  - herbaceous wind barriers (603), 59–60
  - soil management practice, 59–63
  - surface roughening (609), 62–63
  - tillage orientation, 62–63
  - windbreak/shelterbelt establishment (380), 60–62
- windbreak/shelterbelt establishment (380)
  - landscape management practice, 275–276
  - for pesticide mitigation, 209–210
  - wind erosion control practice, 60–62
- windbreak/shelterbelt renovation (650) for pesticide mitigation, 209–210
- Windows Pesticide Screening tool (Win-PST), 200